2025/07/12 16:25 UTC 1/5 Demo Script: DevCon 2024

# **Demo Script: DevCon 2024**

### **Download and Save Sample Code**

- 1. Download twinBASIC BETA 504
- 2. Extract from Zip folder
- 3. Open twinBASIC > Sample 4
- 4. Enter Project Name: Demo2024 (Do not put spaces in the name)
- 5. Save as: %tmp%\Demo2024\Demo2024.twinproj
  - 1. Navigate to: %tmp%

Create folder named: Demo2024
 Filename: Demo2024.twinproj

# **Customize the Addin Name and Description**

Next, let's customize the friendly name and description of our addin. This is the info that appears in the VBA Add-in Manager dialog box.

- 1. Go to dllRegistration.twin > DllRegisterServer
- 2. In the "FriendlyName" line, replace AddinProjectName with "DevCon 2024 Demo"
- 3. In the "Description" line, replace AddinProjectName with "Create a strongly-typed collection class from an existing VBA class object."
- 4. Save the project
- 5. Build the project
- 6. Launch M:\Repos\NLS\DevCon2024\DevCon2024.accdb
- 7. Switch to VBA: Ctrl + G
- 8. Dock the add-in window
- 9. Go to "Add-Ins" > "Toggle myToolWindow Visibility"
- 10. Go to "Add-Ins" > "Add-in Manager"
  - Point out the "DevCon 2024 Demo" item with description below
- 11. Close "Add-In Manager" window

### **Create the Tool Window Controls**

- Open myToolWindow.tbcontrol
- 2. Select all controls and delete them
- 3. Click DIAGNOSTICS error to go to myToolWindow.twin and delete all dead code
- 4. Select form and set the following properties:
  - Height: 1700Width: 2550
- 5. Create a text box and set the following properties:
  - Name: tb0bjName

- Height: 300Left: 150
- o Text: {blank}
- ∘ TextHint: Object Class Name
- Top: 150Width: 2250
- 6. Create a text box and set the following properties:
  - Name: tbCollNameAnchors > Right: ☑ True
  - Height: 300Left: 150
  - ∘ Text: {blank}
  - ∘ TextHint: Collection Class Name
  - Top: 600Width: 2250
- 7. Create a button and set the following properties:
  - Name: btnCreateClassAnchors > Right: ☑ True
  - ∘ Caption: Create Collection Class
  - Height: 450Left: 150Top: 1050Width: 2250

# Edit the Code in myToolWindow.twin

- 1. Delete the Timer1 Timer() and HelloWorld Click() subroutines
- 2. Add a Click event handler for btnCreateClass using the code below

#### **Build and Test the Addin on Same Machine**

The following instructions assume a machine with 32-bit Office (e.g., mjw20):

- 1. Ensure "win32" is selected in dropdown
- 2. File > Build
  - Creates and registers this file:
    - M:\Repos\NLS\DevCon2024\Build\DevCon2024 win32.dll
  - As part of registration, the following registry key and values are created:

2025/07/12 16:25 UTC 3/5 Demo Script: DevCon 2024

- HKEY\_CURRENT\_USER\SOFTWARE\Microsoft\VBA\VBE\6.0\Addins\DevCon202 4.myAddIn\
  - Description: "DevCon2024"
  - FriendlyName: "DevCon2024"
  - LoadBehavior: 3 (3 => Loaded/Load at startup)
- HKEY CLASSES ROOT\DevCon2024.myAddIn\CLSID
  - (Default): {9B80DA6E-8B20-4D53-AE54-430ACFAE987B} (this matches the [ClassID()] attribute value above the myAddIn class in myAddIn.twin)
- HKEY CLASSES ROOT\DevCon2024.myToolWindow\CLSID
  - (Default): {D531346A-90B8-470D-AA33-FB009F19CEFD} (this matches the [ClassID()] attribute value above the myToolWindow class in myToolWindow.twin)
- HKEY\_CLASSES\_ROOT\CLSID\{9B80DA6E-8B20-4D53-AE54-430ACFAE987B}
  - (Default): myAddIn
  - \InProcServer32
    - ∘ (Default):

M:\Repos\NLS\DevCon2024\Build\DevCon2024\_win64.dll (NOTE: The presence of win64.dll here is likely a result of running the win64 build as shown in the next section)

- ThreadingModel: Both
- \ProgID
  - ∘ (Default): DevCon2024.myAddIn

×

- DEBUG CONSOLE should show this:
  - [LINKER] SUCCESS created output file
    'M:\Repos\NLS\DevCon2024\Build\DevCon2024 win32.dll'
  - [LINKER] → Open Folder (NOTE: this is a clickable link)
  - [REGISTER] type-library registration completed. DllRegisterServer() returned OK
- 3. Open Excel or Access
- 4. Press [Alt] + [F11] to go to VBA IDE
- 5. Tool window will likely be floating; click and drag to dock it somewhere:

#### **Build and Test the Addin on a Different Machine and Bitness**

The following instructions assume you are building on a machine with 32-bit Office (mjw20), but installing on a machine with 64-bit Office (e.g., gbm18):

- 1. Ensure "win64" is selected in dropdown
- 2. File > Build
- 3. I copied M:\Repos\NLS\DevCon2024\Build\DevCon2024\_win64.dll to %fb%\12114\DevCon2024\_win64.dll (I will test registering it tomorrow on gbm18)

- 4. Open a non-admin cmd prompt
- 5. Run: regsvr32 DevCon2024 win64.dll
  - Receive message: "DllRegisterServer in DevCon2024\_win64.dll succeeded."
- 6. Open Word (or Excel) The add-in appears.

### Copy and Paste Working VBA Code into twinBASIC

- 1. Add a standard code module named "MyModule":
  - 1. Right-click Sources > Add > Add Module (.TWIN supporting Unicode)
- 2. Go to Strongly-Typed Collections: The Easy Way
  - 1. Copy and paste the <a>GetGuidBasedTempPath</a> code
  - Copy and paste the FileWrite code
- 3. Handle "Unrecognized datatype symbol 'Scripting'" error in DIAGNOSTICS pane:
  - 1. Go to Project > References
  - 2. Switch to "Available COM References" tab
  - 3. Search for "script" and then click the "Microsoft Scripting Runtime" reference
  - 4. Click [Save Changes]

## Add fafalone's WinDevLib Package for API Calls

- 1. Project > References...
- 2. Switch to "Available Packages" tab
- 3. Search for "windows"
- 4. Check box next to "☑ Windows Development Library for twinBASIC vX.Y.ZZZ"
  - The package will immediately begin downloading in the background
  - When the download finishes, the name will change to "☑ [IMPORTED] Windows Development Library for twinBASIC vX.Y.ZZZ"
  - NOTE: "WinDevLib for Implements" is a different package
- 5. Click [Save Changes]
- 6. Comment out (or delete) API `Declare` lines throughout the project
  - Be aware that if you used non-standard `Alias` names, you may need to adjust your API calls to match the standard versions used in WinDevLib
  - myAddIn.twin:
    - Delete Private Type RECT structure
    - Delete GetClientRect() function declare
  - InterProcess.twin:
    - Delete GetCurrentProcessId() function declare line...
    - ...through Type UUID structure
  - MyModule.twin:
    - Delete Sleep sub declare
    - Comment out CoCreateGuid function declare and highlight the failure to compile due to the stricter typing of id As UUID in WinDevLib versus id As Any in my code
    - Uncomment the CoCreateGuid function to show that explicit API declares override the WinDevLib versions
- 7. Pass Unicode strings directly to API declare functions

2025/07/12 16:25 UTC 5/5 Demo Script: DevCon 2024

 Most string-related API functions have ANSI and Unicode versions ("A" and "W" for "ANSI" and "Wide", respectively)

- Lots of legacy VB6/VBA code use the ANSI version of API functions
- WinDevLib encourages the use of Unicode versions by default
- This means that code that passes input strings to API functions may require wrapping the string in `StrPtr()` (or removing `StrPtr()`) from your existing code
- ∘ □ Remove StrPtr() from calls to FindWindowEx() in InterProcess.callerApplicationObject
- ∘ □ Convert final argument from 0& to vbNullString for calls to FindWindowEx() in InterProcess.callerApplicationObject

From:

https://grandjean.net/wiki/ - Grandjean & Braverman, Inc

Permanent link:

https://grandjean.net/wiki/12114/demo?rev=1713156030

Last update: 2024/04/15 04:40 UTC

