

Demo Script: DevCon 2024

Download and Save Sample Code

1. Download [twinBASIC BETA 504](#)
2. Extract from Zip folder
3. Open twinBASIC > **Sample 4**
4. Enter Project Name: Demo2024 (*Do not put spaces in the name*)
5. Save as: %tmp%\Demo2024\Demo2024.twinproj
 1. Navigate to: %tmp%
 2. Create folder named: Demo2024
 3. Filename: Demo2024.twinproj

Customize the Addin Name and Description

Next, let's customize the friendly name and description of our addin. This is the info that appears in the VBA Add-in Manager dialog box.

1. Go to **dllRegistration.twin > DllRegisterServer**
2. In the "FriendlyName" line, replace *AddinProjectName* with "DevCon 2024 Demo"
3. In the "Description" line, replace *AddinProjectName* with "Create a strongly-typed collection class from an existing VBA class object."
4. Save the project
5. Build the project
6. Launch M: \Repos\NLS\DevCon2024\DevCon2024.accdb
7. Switch to VBA: **Ctrl + G**
8. Dock the add-in window
9. Go to "Add-Ins" > "Toggle myToolWindow Visibility"
10. Go to "Add-Ins" > "Add-in Manager"
 - Point out the "DevCon 2024 Demo" item with description below
11. Close "Add-In Manager" window

Create the Tool Window Controls

1. Open myToolWindow.tbcontrol
2. Select all controls and delete them
3. Click DIAGNOSTICS error to go to myToolWindow.twin and **delete all dead code**
4. Select form and set the following properties:
 - Height: 1700
 - Width: 2550
5. Create a text box and set the following properties:
 - Name: tbObjName

- Anchors > Right: True
 - Height: 300
 - Left: 150
 - Text: *{blank}*
 - TextHint: Object Class Name
 - Top: 150
 - Width: 2250
6. Create a text box and set the following properties:
- Name: `tbCollName`
 - Anchors > Right: True
 - Height: 300
 - Left: 150
 - Text: *{blank}*
 - TextHint: Collection Class Name
 - Top: 600
 - Width: 2250
7. Create a button and set the following properties:
- Name: `btnCreateClass`
 - Anchors > Right: True
 - Caption: Create Collection Class
 - Height: 450
 - Left: 150
 - Top: 1050
 - Width: 2250

Edit the Code in `myToolWindow.twin`

1. Delete the `Timer1_Timer()` and `HelloWorld_Click()` subroutines
2. Add a Click event handler for `btnCreateClass` using the code below

```
Private Sub btnCreateClass_Click()  
    MsgBox "Object class name: " & Me.tbObjName.Text & vbNewLine & _  
        "Collection class name: " & Me.tbCollName.Text, vbInformation,  
    "Create Class"  
End Sub
```

Build and Test the Addin on Same Machine

The following instructions assume a machine with 32-bit Office (e.g., `mjw20`):

1. Ensure "**win32**" is selected in dropdown
2. **File > Build**
 - Creates and registers this file:
M:\Repos\NLS\DevCon2024\Build\DevCon2024_win32.dll
 - As part of registration, the following registry key and values are created:

- HKEY_CURRENT_USER\SOFTWARE\Microsoft\VBA\VBE\6.0\Addins\DevCon2024.myAddIn\
 - Description: "DevCon2024"
 - FriendlyName: "DevCon2024"
 - LoadBehavior: 3 (3 => Loaded/Load at startup)
 - HKEY_CLASSES_ROOT\DevCon2024.myAddIn\CLSID
 - (Default): {9B80DA6E-8B20-4D53-AE54-430ACFAE987B} (this matches the [ClassID()] attribute value above the myAddIn class in myAddIn.twin)
 - HKEY_CLASSES_ROOT\DevCon2024.myToolWindow\CLSID
 - (Default): {D531346A-90B8-470D-AA33-FB009F19CEFD} (this matches the [ClassID()] attribute value above the myToolWindow class in myToolWindow.twin)
 - HKEY_CLASSES_ROOT\CLSID\{9B80DA6E-8B20-4D53-AE54-430ACFAE987B}
 - (Default): myAddIn
 - \InProcServer32
 - (Default): M:\Repos\NLS\DevCon2024\Build\DevCon2024_win64.dll (NOTE: The presence of win64.dll here is likely a result of running the win64 build as shown in the next section)
 - ThreadingModel: Both
 - \ProgID
 - (Default): DevCon2024.myAddIn
 - DEBUG CONSOLE should show this:
 - [LINKER] SUCCESS created output file 'M:\Repos\NLS\DevCon2024\Build\DevCon2024_win32.dll'
 - [LINKER] → Open Folder (NOTE: this is a clickable link)
 - [REGISTER] type-library registration completed. DllRegisterServer() returned OK
3. Open Excel or Access
 4. Press [Alt] + [F11] to go to VBA IDE
 5. Tool window will likely be floating; click and drag to dock it somewhere:
 6. Enter Obj Name in the first text box, Coll Name in the second text box, then click [Create Collection Class]

Build and Test the Addin on a Different Machine and Bitness

The following instructions assume you are building on a machine with 32-bit Office (mjw20), but installing on a machine with 64-bit Office (e.g., gbm18):

1. Ensure "**win64**" is selected in dropdown
2. **File > Build**
3. I copied M:\Repos\NLS\DevCon2024\Build\DevCon2024_win64.dll to %fb%\12114\DevCon2024_win64.dll (I will test registering it tomorrow on gbm18)

4. Open a non-admin cmd prompt
5. Run: `regsvr32 DevCon2024_win64.dll`
 - Receive message: "DllRegisterServer in DevCon2024_win64.dll succeeded."
6. Open Word (or Excel) - The add-in appears.

Copy and Paste Working VBA Code into twinBASIC

1. Add a standard code module named "MyModule":
 1. Right-click Sources > **Add > Add Module (.TWIN supporting Unicode)**
2. Go to [Strongly-Typed Collections: The Easy Way](#)
 1. Copy and paste the [GetGuidBasedTempPath](#) code
 2. Copy and paste the [FileWrite](#) code
3. Handle "Unrecognized datatype symbol 'Scripting'" error in DIAGNOSTICS pane:
 1. Go to **Project > References**
 2. Switch to "Available COM References" tab
 3. Search for "script" and then click the "Microsoft Scripting Runtime" reference
 4. Click [Save Changes]

Add fafalone's WinDevLib Package for API Calls

1. **Project > References...**
2. Switch to "Available Packages" tab
3. Search for "windows"
4. Check box next to " Windows Development Library for twinBASIC vX.Y.ZZZ"
 - The package will immediately begin downloading in the background
 - When the download finishes, the name will change to " [IMPORTED] Windows Development Library for twinBASIC vX.Y.ZZZ"
 - NOTE: "[WinDevLib for Implements](#)" is a different package
5. Click [Save Changes]
6. Comment out (or delete) API `Declare` lines throughout the project
 - Be aware that if you used non-standard `Alias` names, you may need to adjust your API calls to match the standard versions used in WinDevLib
 - **myAddIn.twin:**
 - Delete Private Type RECT structure
 - Delete GetClientRect() function declare
 - **InterProcess.twin:**
 - Delete GetCurrentProcessId() function declare line...
 - ...through Type UUID structure
 - **MyModule.twin:**
 - Delete Sleep sub declare
 - Comment out CoCreateGuid function declare and highlight the failure to compile due to the stricter typing of id As UUID in WinDevLib versus id As Any in my code
 - Uncomment the CoCreateGuid function to show that explicit API declares override the WinDevLib versions
7. Pass Unicode strings directly to API declare functions

- Most string-related API functions have ANSI and Unicode versions ("A" and "W" for "ANSI" and "Wide", respectively)
- Lots of legacy VB6/VBA code use the ANSI version of API functions
- WinDevLib [encourages the use of Unicode versions](#) by default
- This means that code that passes input strings to API functions may require wrapping the string in ``StrPtr()`` (or removing ``StrPtr()``) from your existing code
- Remove `StrPtr()` from calls to `FindWindowEx()` in `InterProcess.callerApplicationObject`
- Convert final argument from `0&` to `vbNullString` for calls to `FindWindowEx()` in `InterProcess.callerApplicationObject`

From:

<https://grandjean.net/wiki/> - **Grandjean & Braverman, Inc**

Permanent link:

<https://grandjean.net/wiki/12114/demo?rev=1713156030>

Last update: **2024/04/15 04:40 UTC**

