

PlayGround

UNC paths will auto-format to links: (\\dc01\syse)
unless we tell it not to using nowiki tags:
\\dc01\syse

```
' '<nowiki>\\dc01\syse</nowiki>' '
```

BLUF



Bottom line up front. Follow these steps:

1. Get key steps to remember
2. Put them in ordered list format
3. Float that list in upper right of page

TaxColl2k Wiki

[TaxColl2k](#)

Matt's Sub Pages

<https://grandjean.net/wiki/playground/playground/matt>

Interwiki Links

- FogBugz: [Case 4743](#) ([[fb>4743|Case 4743]]); wiki article: [DokuWiki Installation](#)
- J Street FogBugz: [Case 30604](#) ([[js>30604|Case 30604]])
- NoLongerSet.com: [Throwing Errors in VBA](#) ([[nls>throwing-errors-in-vba|Throwing Errors in VBA]])
- Stack Exchange sites: (Click "share" link by question OR answer...copy the id number after the "a" or "q" in the link)
 - StackOverflow
 - Question example: [IsDate function returns unexpected results](#)
 - Answer example: [How to Conditionally Skip a For Loop Iteration](#)
 - ServerFault: [Joining multiple domains in Windows 7](#)
 - SuperUser: [Windows 10 Update 1511 fails with DiskCryptor whole disk encryption](#)

Include Sections from other Wiki Pages

{{section>gb:powershell:exchange#create_session_in_powershell}} resolves to this:

Auto-Replaced Text

The following sets of characters take advantage of the DokuWiki [Entities](#) feature to perform automatic text replacement:

- [`_`]: ☐
- [`x`]: ☒
- [`√`]: ☒ (NOTE: to enter the checkmark character, hold down `Alt` and enter 251 on the numeric keypad [further note: you **must** use the keypad; entering 251 using the top row of numbers on the keyboard will not work])

Syntax Reminders

Non-breaking spaces (` `) can be entered using `_`. This is managed via the `entities.local.conf` file.

This text¹⁾ needs a reference.

Wrap text in two single-quotes before and after to force "fixed-width font": `fixed-width font`. Fixed width text is easier to copy and paste than variable width fonts. Thus, filenames and other text we're likely to want to select should be entered with the fixed-width font.

Here's a block of VBA code (added via `<code vb></code>`):

```
Public Sub HelloWorld()  
    Debug.Print "Hello, world!"  
End Sub
```

This is a file that can be downloaded (added via `<file text .hgignore></file>`):

[.hgignore](#)

```
syntax: glob  
*.twinproj
```

You can show code underneath an item in an ordered list without breaking the ordering by using the double-backslash to embed a newline after the item:

1. Item 1

```
SELECT 'Success!'  
FROM Dummy --see, we can embed line breaks in the SQL, too
```

2. Item 2

Here are some keyboard keys: `Ctrl` + `C` to copy

This is some highlighted text. Some important text. Full [Wrap plugin examples](#).



Here's a useful tip that doesn't really flow with the rest of the article. It's automatically indented 5% (by virtue of having a width of 90% and being centered).

There is a hidden comment in the source text for this line. It's added like this:
<wrap hide>hidden comment</wrap>

Use the "TODO" wrap block to embed "technical notes" in our product wiki pages:



TECHNICAL NOTES

This is a technical note that most users probably don't care about.

Email Links

Simple Mailto: (no body)

```
<html><a href="mailto:mike@grandjean.net?subject=A subject with spaces&body=Line 1%0D%0ALine 2&cc=anotheremailaddress@anotherdomain.com &bcc=onemore@anotherdomain.com">Advanced Mailto: (body, cc, and bcc)</a></html>
```

¹⁾

this is a footnote

From:
<https://grandjean.net/wiki/> - Grandjean & Braverman, Inc

Permanent link:
<https://grandjean.net/wiki/playground/playground>

Last update: **2024/04/10 01:58 UTC**

