PlayGround

UNC paths will auto-format to links: (\\dc01\syse) unless we tell it not to using `nowiki` tags: \\dc01\syse

```
''<nowiki>\\dc01\syse</nowiki>''
```

> **BLUF**
>
> Bottom line up front. Follow these steps:
>
> 1. Get key steps to remember
> 2. Put them in ordered list format
> 3. Float that list in upper right of page

TaxColl2k Wiki

TaxColl2k

Matt's Sub Pages

https://grandjean.net/wiki/playground/playground/matt

Interwiki Links

- FogBugz: Case 4743 ([[fb>4743|Case 4743]]); wiki article: DokuWiki Installation
- J Street FogBugz: Case 30604 ([[js>30604|Case 30604]])
- NoLongerSet.com: Throwing Errors in VBA ([[nls>throwing-errors-in-vba|Throwing Errors in VBA]])
- Stack Exchange sites: (*Click "share" link by question OR answer…copy the id number after the "a" or "q" in the link*)
    - StackOverflow
        - Question example: IsDate function returns unexpected results
        - Answer example: How to Conditionally Skip a For Loop Iteration
    - ServerFault: Joining multiple domains in Windows 7
    - SuperUser: Windows 10 Update 1511 fails with DiskCryptor whole disk encryption

Include Sections from other Wiki Pages

`{{section>gb:powershell:exchange#create_session_in_powershell}}` *resolves to this:*

Auto-Replaced Text

The following sets of characters take advantage of the DokuWiki Entities feature to perform automatic text replacement:

- [_]: ☐
- [x]: ☒
- [√]: ☑ *(NOTE: to enter the checkmark character, hold down* Alt *and enter 251 on the numeric keypad [further note: you* **must** *use the keypad; entering 251 using the top row of numbers on the keyboard will not work])*

Syntax Reminders

Non-breaking spaces ( ) can be entered using _. This is managed via the `entities.local.conf` file.

This text[1] needs a reference.

Wrap text in two single-quotes before and after to force ''fixed-width font'': `fixed-width font`. Fixed width text is easier to copy and paste than variable width fonts. Thus, filenames and other text we're likely to want to select should be entered with the fixed-width font.

Here's a block of VBA code (added via `<code vb></code>`):

```vb
Public Sub HelloWorld()
    Debug.Print "Hello, world!"
End Sub
```

You can show code underneath an item in an ordered list without breaking the ordering by using the double-backslash to embed a newline after the item:

1. Item 1

   ```sql
   SELECT 'Success!'
   FROM Dummy   --see, we can embed line breaks in the SQL, too
   ```

2. Item 2

Here are some keyboard keys: Ctrl + C to copy

This is some highlighted text. Some important text. Full Wrap plugin examples.

> 💡 Here's a useful tip that doesn't really flow with the rest of the article. It's automatically indented 5% (by virtue of having a width of 90% and being centered).

There is a hidden comment in the source text for this line. It's added like this:
`<wrap hide>hidden comment</wrap>`

Use the "TODO" wrap block to embed "technical notes" in our product wiki pages:

> 🚧 **TECHNICAL NOTES**
>
> This is a technical note that most users probably don't care about.

Email Links

[Simple Mailto: (no body)](#)

<html>Advanced Mailto: (body, cc, and bcc)</html>

[1)](#)
this is a footnote

From:
https://grandjean.net/wiki/ - **Grandjean & Braverman, Inc**

Permanent link:
https://grandjean.net/wiki/playground/playground?rev=1678285478

Last update: **2023/03/08 14:24 UTC**